

Part no.: 50103413
KB RS232/ext IT4xxx
Interconnection cable





Figure can vary

Contents

- Technical data
- Electrical connection

Part no.: 50103413 – KB RS232/ext IT4xxx – Interconnection cable

Technical data

| Basic data | |
|---------------------------|--|
| Suitable for | IT 38xx series mobile bar code readers |
| Suitable for interface | RS 232 |
| Connection | |
| Connection 1 | |
| Type of connection | Sub-D |
| Type | Female |
| No. of pins | 9 -pin |
| Design | Axial |
| Connection 2 | |
| Type of connection | RJ41 |
| Connection 3 | |
| Type of connection | Connector |
| Thread size | Pluggable |
| Type | Female |
| No. of pins | 4 -pin |
| Design | Axial |
| Cable properties | |
| Number of conductors | 10 Piece(s) |
| Sheathing color | Black |
| Shielded | Yes |
| Cable design | Helix cable |
| Cable diameter (external) | 5 mm |
| Cable length | 2,600 mm |
| Sheathing material | PVC |
| Classification | |
| Customs tariff number | 85444290 |
| eCl@ss 8.0 | 27279218 |
| eCl@ss 9.0 | 27060311 |
| ETIM 5.0 | EC001855 |
| ETIM 6.0 | EC001855 |

Electrical connection

| Connection 1 | |
|---------------------|--------|
| Type of connection | Sub-D |
| Type | Female |
| No. of pins | 9 -pin |
| Design | Axial |

| Connection 2 | |
|---------------------|------|
| Type of connection | RJ41 |

Part no.: 50103413 – KB RS232/ext IT4xxx – Interconnection cable

| Connection 3 | |
|--------------------|-----------|
| Type of connection | Connector |
| Thread size | Pluggable |
| Type | Female |
| No. of pins | 4 -pin |
| Design | Axial |