



Part no.: 50134927
ME 338 104
Connection unit

Figure can vary

Contents

- Technical data
- Electrical connection
- Operation and display

Part no.: 50134927 – ME 338 104 – Connection unit

Technical data

Basic data

Suitable for	BCL 338i
Suitable for interface	EtherCAT

Connection

Number of connections	5 Piece(s)
-----------------------	------------

Connection 1

Type of connection	Cable with connector
Function	PWR / SW IN/OUT
Cable length	900 mm
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	A-coded

Connection 2

Type of connection	USB
Function	Service interface

Connection 3

Type of connection	Cable with connector
Function	HOST / BUS IN
Cable length	500 mm
Thread size	M12
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	D-coded

Connection 4

Type of connection	Cable with connector
Function	BUS OUT
Cable length	700 mm
Thread size	M12
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	D-coded

Connection 5

Type of connection	Cable with connector
Function	Signal OUT
Thread size	M8
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	A-coded

Mechanical data

Design	Cubic
Dimension (W x H x L)	64 mm x 33.5 mm x 43.5 mm

Part no.: 50134927 – ME 338 104 – Connection unit

Housing material	Metal
Net weight	70 g
Housing color	Red, RAL 3000

Operation and display

Type of display	LED
Number of LEDs	2 Piece(s)

Classification

Customs tariff number	84733080
eCl@ss 8.0	27279290
eCl@ss 9.0	27279090
ETIM 5.0	EC002498
ETIM 6.0	EC002498

Electrical connection

Connection 1	
Type of connection	Cable with connector
Function	PWR / SW IN/OUT
Cable length	900 mm
Sheathing material	
Cable color	Black
Wire cross section	0.34 mm ²
Thread size	M12
Type	Male
Material	Metal
No. of pins	5 -pin
Encoding	A-coded

Pin	Pin assignment
1	VIN
2	SWIO 1
3	GNDIN
4	SWIO 2
5	FE

Connection 2	
Type of connection	USB
Function	Service interface
Connector type	USB 2.0 Mini-B

Connection 3	
Type of connection	Cable with connector
Function	HOST / BUS IN
Cable length	500 mm

Part no.: 50134927 – ME 338 104 – Connection unit

Connection 3	
Sheathing material	PUR
Thread size	M12
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	D-coded
Cable color	Green
Wire cross section	0.34 mm ²

Pin	Pin assignment
1	TD+
2	RD+
3	TD-
4	RD-

Connection 4	
Type of connection	Cable with connector
Function	BUS OUT
Wire cross section	0.34 mm ²
Cable color	Green
Cable length	700 mm
Sheathing material	PUR
Thread size	M12
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	D-coded

Pin	Pin assignment
1	TD+
2	RD+
3	TD-
4	RD-

Connection 5	
Type of connection	Cable with connector
Function	Signal OUT
Thread size	M8
Type	Female
Material	Metal
No. of pins	4 -pin
Encoding	A-coded
Wire cross section	0.34
Cable color	Black
Cable length	2,000
Sheathing material	PUR

Pin	Pin assignment
1	V+
2	n.c.
3	GND
4	SW OUT

Operation and display

LEDs

LED	Display	Meaning
1	Green, continuous light	Ethernet
	Yellow, flashing	Data transmission active
2	Green, continuous light	Ethernet
	Yellow, flashing	Data transmission active