



**Part no.: 50138151**  
**A7-V1-BZ2-S**  
**Signaling column element**



Figure can vary

## Contents

- Technical data
- Dimensioned drawings
- Accessories


Part no.: 50138151 – A7-V1-BZ2-S – Signaling column element

## Technical data

<b>Basic data</b>	
Series	A7
Suitable for	Signaling column elements of the A7 – Advanced Series
Type of signaling	Acoustic
<b>Electrical data</b>	
<b>Performance data</b>	
Supply voltage $U_B$	24 V, DC, 10 %
Current consumption, max.	30 mA
<b>Mechanical data</b>	
Design	Cylindrical
Dimension ( $\varnothing$ x L)	70 mm x 50 mm
Housing material	Plastic
Type of fastening	Bayonet system
<b>Operation and display</b>	
Operational controls	225° potentiometer
Function of the operational control	Volume control
<b>Environmental data</b>	
Ambient temperature, operation	-10 ... 60 °C
<b>Certifications</b>	
Degree of protection	IP 66
Certifications	CE
<b>Acoustic data</b>	
Tone type	Continuous tone
Sound pressure	105 dB
Number of tones	1 Piece(s)
<b>Classification</b>	
eCl@ss 8.0	27371237
eCl@ss 9.0	27371237
ETIM 5.0	EC001261
ETIM 6.0	EC001261


## Dimensioned drawings

All dimensions in millimeters






## Accessories

### Mounting technology - Mounting brackets

	Part no.	Designation	Article	Description
	50137729	A7-MW1	Signaling column element	Design: Bracket mounting Fastening, at system: Screw type / vertical Lens modules: Max. 5 pieces Module holder: One side Ambient temperature: -10 ... 60 °C Degree of protection: IP 66

## Mounting

	Part no.	Designation	Article	Description
	50135463	A7-MP1-100	Signaling column element	Connection: Terminal, Tension spring technology Diameter: 70 mm Design: Base mountingCylindrical Fastening, at system: Screw type / horizontal Lens modules: Max. 5 pieces Module holder: One side Ambient temperature: -10 ... 60 °C Degree of protection: IP 66
	50135464	A7-MP1-250	Signaling column element	Connection: Terminal, Tension spring technology Diameter: 70 mm Design: Base mountingCylindrical Fastening, at system: Screw type / horizontal Lens modules: Max. 5 pieces Module holder: One side Ambient temperature: -10 ... 60 °C Degree of protection: IP 66
	50135465	A7-MP1-400	Signaling column element	Connection: Terminal, Tension spring technology Diameter: 70 mm Design: Base mountingCylindrical Fastening, at system: Screw type / horizontal Lens modules: Max. 5 pieces Module holder: One side Ambient temperature: -10 ... 60 °C Degree of protection: IP 66