

Part no.: 50138356
KY-HS-SDS-U4AJ2ARAA-020-T1
Interconnection cable




Figure can vary

Contents

- Technical data
- Electrical connection

Technical data


Basic data	
Suitable for	HS 66x8
Suitable for interface	USB
Connection	
Connection 1	
Type of connection	RJ45
Type	Female
No. of pins	9 -pin
Design	Axial
Connection 2	
Type of connection	USB
Connector type	USB 2.0 Standard-A
Connection 3	
Type of connection	Connector
Thread size	Pluggable
Type	Female
No. of pins	2 -pin
Design	Axial
Cable properties	
Number of conductors	6 Piece(s)
Sheathing color	Black
Shielded	Yes
Cable diameter (external)	7 mm
Cable length	2,000 mm
Sheathing material	TPU
Classification	
Customs tariff number	85444290
eCl@ss 8.0	27279218
eCl@ss 9.0	27060311
ETIM 5.0	EC001855
ETIM 6.0	EC001855

Electrical connection

Connection 1	
Type of connection	RJ45
Function	
Type	Female
No. of pins	9 -pin
Design	Axial


Part no.: 50138356 – KY-HS-SDS-U4AJ2ARAA-020-T1 – Interconnection cable

Pin	Pin assignment
1	Shield
2	TXD
3	RxD
4	n.c.
5	GND
6	n.c.
7	CTS
8	RTS
9	+5 V DC



Connection 2	
Type of connection	USB
Connector type	USB 2.0 Standard-A

Pin	Pin assignment
1	+5 V DC
2	DATA-
3	DATA+
4	GND



Connection 3	
Type of connection	Connector
Thread size	Pluggable
Type	Female
No. of pins	2 -pin
Encoding	
Design	Axial

